



WIRING DUCT (OPEN SLOT)

SUNS International, LLC




SLOT: 8mm for all applicable size except MD-6.5 MD-6.7, MD-8 in 10mm. (100mm in high)


- Material: High impact, self-extinguishing, warp-proof PVC (Polyvinyl chloride)
- Color: Grey.
- Maximum service temperature: 85°C
- Used extensively for all wiring applications where cable protection is essential i.e. switchboards...etc.
- Features parallel holes on both sidewalls to facilitate cutting in wire application.
- Special color, size, length upon request of reasonable quantity.
- ★ NEW SIZE

Unit:mm

MD SLOT : 8mm




KD SLOT : 6mm



HD SLOT : 4mm

■ AVAILABLE AT 6mm SLOT UPON REQUEST. UP TO 60 × 60 mm.





Item No.			Dimension W×H	Wires to be Contained	Length
SLOT : 8mm	SLOT : 6mm	SLOT : 4mm			
AD-0.5L		HD-0.5L	15 × 25	5~12pcs	2M
AD-0.7L		HD-0.7L	20 × 20	5~12pcs	
AD-0L		HD-0L	25 × 25	10~25pcs	
AD-1L	KD-1	HD-1L	25 × 45	20~25pcs	
AD-1.2L	KD-1.2	HD-1.2L	33 × 33	25~45pcs	
AD-1.5L	KD-1.5	HD-1.5L	33 × 45	40~55pcs	
AD-2L	KD-2	HD-2L	45 × 45	60~70pcs	
AD-2.2L		HD-2.2L	50 × 50	80~90pcs	
AD-2.5L	KD-2.5	HD-2.5L	65 × 45	110~120pcs	
AD-3L	KD-3	HD-3L	33 × 65	60~75pcs	
AD-4L	KD-4	HD-4L	25 × 65	40~45pcs	
AD-5L	KD-5	HD-5L	45 × 65	110~120pcs	
AD-5.5L	KD-5.5	HD-5.5L	60 × 60	120~135pcs	
AD-5.7L	KD-5.7	HD-5.7L	65 × 65	180~200pcs	
AD-6L			72 × 64	200~220pcs	
AD-6.5L			33 × 100	180~200pcs	
AD-6.7L			48 × 100	215~250pcs	
★ AD-6.8L			55 × 100	220~260pcs	
AD-7L			70 × 100	250~300pcs	
★ AD-7.2L			100 × 50	200~250pcs	
AD-7.5L			100 × 75	260~320pcs	
AD-8L		HD-8L	100 × 100	300~400pcs	
AD-10L			150 × 75	335~500pcs	
★ AD-12L			150 × 100	450~600pcs	
★ AD-15L			200 × 100	600~800pcs	

FIXING SLOT

For width :
25mm , 33mm , 40mm , 45mm ,
50mm , 60mm , 65mm

For width :
72mm , 80mm , 100mm , 150mm






WIRING DUCT (OPEN SLOT)

SUNS International, LLC


Unit:mm



VD SLOT : 8mm



HVD SLOT : 4mm




Item No.		W×H	Wires to be Contained	Length
SLOT 8mm	SLOT 4mm			
VD-1	HVD-1	25 × 30	15~25pcs	2M
VD-2	HVD-2	25 × 40	20~25pcs	
VD-3	HVD-3	33 × 40	40~45pcs	
VD-4	HVD-4	40 × 40	60~70pcs	
VD-5	HVD-5	60 × 40	100~115pcs	
VD-5.5	HVD-5.5	80 × 40	120~135pcs	
★ VD-5.7	HVD-5.7	100 × 40	130~175pcs	
VD-6	HVD-6	25 × 60	40~45pcs	
VD-7	HVD-7	40 × 60	100~115pcs	
VD-8	HVD-8	60 × 60	120~135pcs	
VD-9	HVD-9	80 × 60	180~210pcs	
VD-9.5	HVD-9.5	100 × 60	240~290pcs	
VD-9.6	HVD-9.6	120 × 60	240~290pcs	
VD-9.65	HVD-9.65	120 × 65	260~360pcs	
VD-9.66	HVD-9.66	25 × 80	100~120pcs	
VD-9.7	HVD-9.7	40 × 80	120~135pcs	
VD-9.8	HVD-9.8	60 × 80	180~210pcs	
VD-10	HVD-10	80 × 80	240~290pcs	
VD-10.5	HVD-10.5	100 × 80	260~350pcs	
VD-11	HVD-11	120 × 80	300~400pcs	
★ VD-12	HVD-12	40 × 100	130~175pcs	


★ NEW SIZE

WIRING DUCT (CLOSE SLOT)

Unit:mm



VDC SLOT : 8mm



Item No.	W×H	Wires to be Contained	Length
SLOT 8mm			
VDC-2530	25 × 30	15~25pcs	2M
VDC-2560	25 × 60	40~45pcs	
VDC-4040	40 × 40	60~70pcs	
VDC-4060	40 × 60	100~115pcs	
VDC-4080	40 × 80	120~135pcs	
VDC-5050	50 × 50	80~90pcs	
VDC-6060	60 × 60	120~135pcs	
VDC-6080	60 × 80	180~210pcs	
VDC-8080	80 × 80	240~290pcs	
VDC-100100	100 × 100	300~400pcs	

■ Close slot design facilitate easy installation or removal of cover.


■ Cut optionally wherever wire insertion/extension is necessary.

http://www.suns-usa.com Ph. 1-781-652-8305
 Email: info@suns-usa.com Fax. 1-781-862-5084



WIRING DUCT (OPEN SLOT)

SUNS International, LLC





Unit:mm

Item No.		W×H	Wires to be Contained	Length
Slot(8mm)	Solid			
AD-1×2	SD-1×2	25×50	20~25pcs	2M
AD-1×3	SD-1×3	25×75	60~75pcs	
AD-1.5×1	SD-1.5×1	38×25	20~23pcs	
AD-1.5×2	SD-1.5×2	38×50	60~70pcs	
AD-2×2	SD-2×2	50×50	80~90pcs	
AD-2×3	SD-2×3	50×75	180~200pcs	
AD-3×3	SD-3×3	75×75	200~250pcs	
AD-3×4	SD-3×4	75×100	240~300pcs	

- Material: High impact, self-extinguishing, warp-proof PVC
- Color: Grey.
- Maximum service temperature: 85°C
- Features parallel holes on both sidewalls to facilitate cutting in wire application.

DUCT (OPEN SLOT)




Unit:mm

Item No.	W×H	Wires to be Contained	Length
Slot (4mm)			
BD-2525	25×25	10~25pcs	2M
BD-3340	33×40	40~45pcs	
BD-4040	40×40	50~60pcs	
BD-3360	33×60	60~70pcs	
BD-4860	48×60	110~120pcs	
BD-6060	60×60	120~135pcs	



- Material: High impact, self-extinguishing, warp-proof PVC
- Color: Grey.
- Maximum service temperature: 85°C
- Features parallel holes on both sidewalls to facilitate cutting in wire application.

MINI TRUNKING



Unit:mm

Item No.	W×H	Wires to be Contained	Length
UD-1616	16×16	3~10 pcs	2M
UD-1809	18×9	2~6 pcs	
UD-2516	25×16	5~12 pcs	
UD-4025	40×25	20~40 pcs	
UD-5025	50×25	25~45 pcs	



SOLID:

No slot design, for external wiring or where wire extraction is not necessary.

- Material: High impact, self-extinguishing, warp-proof PVC
- Color: Grey.
- Maximum service temperature: 85°C
- Used extensively for all wiring applications where cable protection is essential i.e. switchboard...etc.
- Features parallel holes on both sidewalls to facilitate cutting in wire application.
- Special color, size, length upon request at reasonable quantity.
- ★ NEW SIZE

Item No.	W×H	Wires to be Contained	Length
★ SD-2210	22×10	3~8pcs	2M
★ SD-3015	30×15	10~25pcs	
SD-1616	16×16	3~10pcs	
SD-2516	25×16	5~12pcs	
SD-3816	38×16	12~30pcs	
SD-2020	20×20	5~12pcs	
★ SD-4020	40×20	20~40pcs	
SD-1525	15×25	5~12pcs	
SD-2525	25×25	10~25pcs	
SD-3825	38×25	20~40pcs	
★ SD-5025	50×25	25~45pcs	
SD-2530	25×30	15~25pcs	
★ SD-3030	30×30	20~40pcs	
SD-3333	33×33	25~45pcs	
★ SD-10033	100×33	180~200pcs	
SD-2540	25×40	20~25pcs	
SD-3340	33×40	40~45pcs	
SD-4040	40×40	60~70pcs	
SD-6040	60×40	100~115pcs	
SD-7540	75×40	120~135pcs	
★ SD-8040	80×40	120~135pcs	
★ SD-10040	100×40	180~200pcs	
SD-2545	25×45	20~25pcs	
SD-3345	33×45	40~55pcs	
SD-4545	45×45	60~70pcs	
SD-6545	65×45	110~120pcs	
★ SD-2550	25×50	20~30pcs	
★ SD-3850	38×50	20~35pcs	
SD-5050	50×50	80~90pcs	
★ SD-7550	75×50	180~200pcs	
★ SD-10050	100×50	200~250pcs	
SD-2560	25×60	40~45pcs	
SD-4060	40×60	100~115pcs	
SD-6060	60×60	120~135pcs	
SD-8060	80×60	180~210pcs	
SD-10060	100×60	240~290pcs	
★ SD-12060	120×60	240~290pcs	
SD-7264	72×64	200~220pcs	
SD-2565	25×65	40~45pcs	
SD-3365	33×65	60~75pcs	
SD-4565	45×65	110~120pcs	
SD-6565	65×65	180~200pcs	
★ SD-12065	120×65	260~350pcs	
★ SD-2575	25×75	50~55pcs	
★ SD-5075	50×75	180~200pcs	
★ SD-7575	75×75	200~250pcs	
SD-10075	100×75	260~320pcs	
SD-15075	150×75	335~500pcs	
★ SD-2580	25×80	60~75pcs	
SD-4080	40×80	120~135pcs	
SD-6080	60×80	180~210pcs	
SD-8080	80×80	240~290pcs	
★ SD-10080	100×80	260~350pcs	
SD-12080	120×80	300~400pcs	
SD-33100	33×100	180~200pcs	
★ SD-40100	40×100	130~175pcs	
SD-48100	48×100	215~250pcs	
★ SD-55100	55×100	220~260pcs	
SD-70100	70×100	250~300pcs	
★ SD-75100	75×100	260~300pcs	
SD-100100	100×100	300~400pcs	
★ SD-150100	150×100	450~600pcs	
★ SD-200100	200×100	600~800pcs	
★ SD-200150	200×150	1040~1200pcs	
★ SD-200200	200×200	1200~1600pcs	